



1. p.27 (Chapter 1)

Original



Revised



2. P. 65 (Chapter 3)

Original




Figure 3.12

Revised




Figure 3.12

3. p. 314 (Chapter 9)

Original

$$Q_w = Av = (2\pi r_w l_w)(k_i e) = 2\pi r_w l_w i_e \frac{\sqrt{k}}{15} \quad (9.32)$$

Revised

$$Q_w = Av = (2\pi r_w l_w)(k_i e) = 2\pi r_w l_w \frac{\sqrt{k}}{15} \quad (9.32)$$

4. p. 341 (Chapter 10)

Original

$$\frac{KL}{r_y} < C_c \quad F_a = \frac{\left[1 - \frac{1}{2} \left(\frac{KL/r_y}{C_c}\right)\right] F_y}{\frac{5}{3} + \frac{3}{8} \left(\frac{KL/r_y}{C_c}\right) - \frac{1}{8} \left(\frac{KL/r_y}{C_c}\right)^3} \cdot \lambda \quad (10.15)$$

Revised

$$\frac{KL}{r_y} < C_c \quad F_a = \frac{\left[1 - \frac{1}{2} \left(\frac{KL/r_y}{C_c} \right)^2 \right] F_y}{\frac{5}{3} + \frac{3}{8} \left(\frac{KL/r_y}{C_c} \right) - \frac{1}{8} \left(\frac{KL/r_y}{C_c} \right)^3} \cdot \lambda \quad (10.15)$$

5. p. 354 (Chapter 10)

Original




Figure 10.22

Revised




Figure 10.22